

SIRIUS HRI 330W XL



Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

Areas of application

- Concert lighting
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	54714
Product Name	SIRIUS HRI 330W XL 1/SKU 2/CS
Ordering Abbreviation	SIRIUS HRI 330W XL
Brand Name	OSRAM
Family Brand Name	SIRIUS HRI
General Description	330 Watts, Mercury short arc, with compact reflector
Application	Moving head fixtures

Electrical data

Nominal Wattage	33000 W	
Nominal Voltage	6500 V	
Current (A)	5 A	

Light technical data

Luminous Flux	16.500 lm		
Working Distance a (mm)	36 mm		
Color Temperature	7.250 K		
Color Rendering Index	71		
Average Rated Life	1.500 h		

Physical attributes

Bulb Shape	REFLECTOR		
Length I (mm)	63 mm		
Diameter d (in)	0.512 in		
Diameter d (mm)	56.00 mm		
Electrode Gap - cold (mm)	1.3 mm		

Additional product data

Operating Position	any		
Cooling	Forced		
Forced Cooling	Required		

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54714	4052899195431	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.3 lb

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54714	4052899195448	Shipping box (Case)	2	7.3 in x 3.8 in x 4.5 in	0.9 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.