


VideoMic Me™

Directional Microphone for iPhone® and iPad®

AUSTRALIA
107 Carnarvon st, Silverwater NSW 2128 Australia
Ph: +61 2 9648 5855 Fx: +61 2 9648 2455

USA
PO Box 91028, Long Beach CA 90809-1028
Ph: +1 562 364 7400 Fax: +1 888 412 4664



Features


- Directional shotgun microphone
- TRRS output for smartphones
- All-metal microphone body
- No battery required
- Built-in headphone jack for monitoring
- Deluxe furry windshield included
- Designed and made in Australia

Specifications


Acoustic Principle	Pressure Gradient
Polar Pattern	Cardioid
Frequency Range	100Hz ~ 20kHz
Signal to noise Ratio	75 dBA SPL (as per IEC651)
Equivalent Noise	20 dBA SPL (as per IEC651)
Maximum SPL	140 dB SPL
Sensitivity	-33dB re 1V/Pa (22mV @ 94dB SPL) ± 2dB @ 1kHz
Dynamic Range	120 dB SPL
Power Requirements	2V-12V DC
Output Connection	TRRS plug for connection to device. TRS socket for headphone monitoring from device.
Weight	34g
Dimension	21mm x 80mm(L) x 38mm(H)



Polar Pattern



Frequency Response



RØDE
MICROPHONES